

# outland







# outland

- A UNIQUE COMBINATION OF SANDSTONE AND LIMESTONE  
CREATE A MODERN STONE LOOKING PORCELAIN TILE
- DEVELOPED TO COMPLEMENT POPULAR INTERIOR DESIGN TRENDS, INCLUDING  
THE MODERN FARMHOUSE AND CONTEMPORARY LOOKS
- THE DETAILED TEXTURE DELIVERS A LIGHT THREE-DIMENSIONALITY TO THE SURFACE,  
GIVING THIS ELEGANT STONE-LOOK TILE A MORE NATURAL EFFECT
- GRAYSCALE PALETTE FEATURES SUBTLE VARIATIONS IN TONE,  
WITH WARM, DELICATE HUES
- SIZES AND TRIM READY FOR ANY RESIDENTIAL AND COMMERCIAL APPLICATION







# ENRICHED

MODERN STONE


*Enhance your designs with a three-dimensional tile that is not only stunning, but also unique. Designed to fit in different interior settings, Outland combines the deep effect of limestone grains with the white sandstone quartz inserts to deliver an amazing three-dimensionality to your surface, while creating a modern appeal.*

outland


## Colors



PURE



SILVER



GRAY



DARK



**Shade variation**



PURE



SILVER

COLORED BODY PORCELAIN TILE



GRAY



DARK



outland



**outland**  
Outland Silver 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
Outland Pure Multi-hex Mosaic 8<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>8</sub>" - 22x26 cm

STONE LOOK OUTLAND  
COLORED BODY PORCELAIN TILE



outland

**outland**  
Outland Silver 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm



**outland**  
Outland Gray 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
Outland Gray Bullnose 2<sup>7</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" - 7.2x60 cm



outland



**outland**

Outland Gray 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm

Outland Gray Bullnose 27<sup>7</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>" - 7.2x60 cm



outland



**outland**  
Outland Pure 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
Outland Dark Mosaic 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
Outland Pure Cove Base 5<sup>7</sup>/<sub>8</sub>"x11<sup>3</sup>/<sub>4</sub>" - 15x30 cm





**outland**

Outland Pure 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60cm  
Outland Dark Mosaic 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" - 30x30cm  
Outland Pure Cove Base 5<sup>7</sup>/<sub>8</sub>"x11<sup>3</sup>/<sub>4</sub>" - 15x30cm





outland



**outland**

Outland Dark 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
Outland Silver Multi-hex Mosaic 8<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>8</sub>" - 22x26 cm  
Outland Dark Cove Base 5<sup>7</sup>/<sub>8</sub>"x11<sup>3</sup>/<sub>4</sub>" - 15x30cm



outland



**outland**  
 Outland Dark 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
 Outland Silver Multi-hex Mosaic 8<sup>3</sup>/<sub>4</sub>"x10<sup>1</sup>/<sub>8</sub>" - 22x26 cm  
 Outland Dark Cove Base 5<sup>7</sup>/<sub>8</sub>"x11<sup>3</sup>/<sub>4</sub>"- 15x30cm

**outland**  
 Outland Dark 23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>" - 60x120 cm







Compliant with standards ANSI A137.1-2022

**SIZE**

11<sup>3</sup>/<sub>4</sub>" x 23<sup>5</sup>/<sub>8</sub>" - 30 x 60 cm  
23<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>" - 60 x 120 cm

**THICKNESS**

9 mm

**FINISH**

MATTE



**OUTLAND PURE**  
11<sup>3</sup>/<sub>4</sub>" x 23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010004510



**OUTLAND SILVER**  
11<sup>3</sup>/<sub>4</sub>" x 23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010004511



**OUTLAND GRAY**  
11<sup>3</sup>/<sub>4</sub>" x 23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010004512



**OUTLAND DARK**  
11<sup>3</sup>/<sub>4</sub>" x 23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
610010004513



**OUTLAND PURE**  
23<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010004514



**OUTLAND SILVER**  
23<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010004515



**OUTLAND GRAY**  
23<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010004516



**OUTLAND DARK**  
23<sup>5</sup>/<sub>8</sub>" x 47<sup>1</sup>/<sub>4</sub>" - 60x120 cm  
610010004517


**MOSAICS & DECORS**




**OUTLAND PURE MOSAIC**  
11<sup>3</sup>/<sub>4</sub>" x 11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
610110000676



**OUTLAND SILVER MOSAIC**  
11<sup>3</sup>/<sub>4</sub>" x 11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
610110000677



**OUTLAND GRAY MOSAIC**  
11<sup>3</sup>/<sub>4</sub>" x 11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
610110000678



**OUTLAND DARK MOSAIC**  
11<sup>3</sup>/<sub>4</sub>" x 11<sup>3</sup>/<sub>4</sub>" - 30x30 cm  
610110000679



**OUTLAND PURE MULTI-HEX MOSAIC**  
8<sup>3</sup>/<sub>4</sub>" x 10<sup>1</sup>/<sub>8</sub>" - 22x26 cm  
610110000680



**OUTLAND SILVER MULTI-HEX MOSAIC**  
8<sup>3</sup>/<sub>4</sub>" x 10<sup>1</sup>/<sub>8</sub>" - 22x26 cm  
610110000681




**OUTLAND GRAY MULTI-HEX MOSAIC**  
8<sup>3</sup>/<sub>4</sub>" x 10<sup>1</sup>/<sub>8</sub>" - 22x26 cm  
610110000682




**OUTLAND DARK MULTI-HEX MOSAIC**  
8<sup>3</sup>/<sub>4</sub>" x 10<sup>1</sup>/<sub>8</sub>" - 22x26 cm  
610110000683

**COORDINATING TRIMS**

	Bullnose	Cove base
<b>OUTLAND PURE</b>	610130006005	610130006009
<b>OUTLAND SILVER</b>	610130006006	610130006010
<b>OUTLAND GRAY</b>	610130006007	610130006011
<b>OUTLAND DARK</b>	610130006008	610130006012



**Bullnose**  
3" x 24" - 7.2x60 cm



**Cove base**  
6" x 12" - 15x30 cm - 8.5mm





Compliant with standards ANSI A137.1-2022



**SIZE**

11<sup>3/4</sup>" x 23<sup>5/8</sup>" - 30 x 60 cm  
23<sup>5/8</sup>" x 47<sup>1/4</sup>" - 60 x 120 cm

**THICKNESS**

✂ 9 mm

**FINISH**

matte



**V3 MODERATE VARIATION**

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

**FIELD TILES**

Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12" x 24"	11 3/4" x 23 5/8"	9 mm	Matte	-
24" x 48"	23 5/8" x 47 1/4"	9 mm	Matte	Yes

**MOSAICS**

**AND COORDINATING TRIMS**

Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish
Mosaic	11 3/4" x 11 3/4"	9 mm	Matte
Multi-hex Mosaic	8 3/4" x 10 1/8"	9 mm	Matte
Bullnose 3" x 24"	2 7/8" x 23 5/8"	9 mm	Matte
Cove Base 6" x 12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte

Please refer to caliber chart for work sizes. Close joints are not recommended. (\*): Cove Base thickness is 7 mm on flat top part.

**PERFORMANCE & FEATURES**

	PROPERTY	ASTM TEST METHOD	PORCELAIN TILE SPECIFICATION				
			Calibrated		Rectified		
			Minimum	Maximum	Minimum	Maximum	
<b>REGULARITY CHARACTERISTICS</b>	Nominal Size	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
	Caliber Range (Variation from average facial dimension of sample)		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	Thickness <sup>(1)</sup>		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
	Wedging		ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)
	Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) <sup>(2)</sup> or -1.8 mm <sup>(3)</sup> (*)	0.40% or 0.05 in (1.3 mm) <sup>(2)</sup> or 1.8 mm <sup>(3)</sup> (*)	Compliant
	Warpage Diagonal		-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant
			ALL PORCELAIN TILES				
<b>STRUCTURAL CHARACTERISTICS</b>	Water Absorption	ASTM C373	≤ 0.5%			≤ 0.5%	
<b>BULK MECHANICAL CHARACTERISTICS</b>	Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)			≥ 350 lbf. avg	
<b>PHYSICAL PROPERTIES</b>	Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)			≥ 100 psi	
<b>THERMAL AND IGROMETRIC CHARACTERISTICS</b>	Resistance to Freeze/Thaw Cycling	ASTM C1026	As Reported			Resistant	
<b>CHEMICAL CHARACTERISTICS</b>	Chemical Resistance	ASTM C650	As Reported			Unaffected	
	Stain Resistance	ASTM C1378	As Reported			Unaffected	
<b>SAFETY CHARACTERISTICS</b>	Dynamic coefficient of friction <sup>(4)</sup>	ANSI A326.3	Requires a minimum value of 0.42 for commercial areas that are likely to be wet			> 0.42 Wet	

(\*) Whichever is less  
(1) May not apply to textured surfaces or tiles with uneven back patterns.  
(2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).  
(3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).  
(4) For updated manufacturer classification, according to ANSI A326.3 Section 4 - "Product Use Categories", please refer to our website.



Scan to learn more



For more details please see the catalogue or visit atlasconcordeusa.com  
The Health Product Declaration® logo is a registered trademark of HPD Collaborative.